



The undersigned, representing the following distributor:

ARMA Finance
69 rue nationale
85100 LES SABLES D'OLONNE
France

Manufacturing Plant 1: L'Isolante K-Flex srl, Via Leonardo da Vinci 36, 20877 Roncello (MB), ITALY

herewith declare that the product family **Rubaflex**, is in conformity with the provisions of the following EC Directives when installed in accordance with the installation instructions contained in the product documentation:

89/106/EEC Construction Products Directive

and that the standards referenced below have been applied:

EN 14304:2009, "Thermal insulation products for building equipment and industrial installations – Factory made flexible elastomeric foam (FEF) products – Specification"

Provisions to which the product conforms:

Performances described in Annex ZA of standard 14304:2009 with Annex B and C of EN 13172:2008 and Section 5 of EN ISO 13787:2003

Requirement/Characteristic	Standard	Certification
Reaction to Fire	EN13501-1 EN13823 EN ISO 11925-2	0751-CPD.2-002.7-01-01/12
Thermal Conductivity	EN 12667 EN ISO 8497 EN ISO 13787	0751-CPD.2-002.7-01-01/12
Water Vapour Diffusion Resistance	EN ISO 12086 EN 13469	0751-CPD.2-002.7-01-01/12
Maximum Service Temperature	EN 14706 EN 14707	0751-CPD.2-002.7-01-01/12
Short Term Water Absorption	EN 13472	0751-CPD.2-002.7-01-01/12
Rate of Release of Corrosive Substances	EN 13468	0751-CPD.2-002.7-01-01/12

Name and Address of Notified Certification Body: Forschungsinstitut für Wärmeschutz e.V. München, Lochhamer Schlag 4, 82166 Gräfelfing, Germany; Notified body n° 0751

Certificate Number: 0751-CPD.2-002.7-01-01/12

Name and Address of Notified Laboratories:

- Forschungsinstitut für Wärmeschutz e.V. München, Lochhamer Schlag 4, 82166 Gräfelfing, Germany; Notified Body n° 0751
- Staatliche materialprüfungsanstalt Darmstadt, Grafenstraße 2, 64283 Darmstadt, Germany; Notified Body n° 1343
- CSI SPA, Via Lombardia 20, 20021 Bollate (MI), Italy; Notified Body n° 0497

Product properties table extract from Certificate of Conformity:

Product	Form	Thickness Range	Thermal Conductivity λ_D at 0°C W/(m K) EN13787	Maximum Service Temperature	Water Vapour Diffusion Resistance	Fire classification	Label mark
Rubaflex	Tube	6 mm to 25 mm	0.033	110 °C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)110 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex RU	Tube	6 mm to 25 mm	0.033	110 °C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)110 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex RUF	Tube	6 mm to 25 mm	0.033	85 °C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex FAST AR	Tube	6 mm to 25 mm	0.033	85 °C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex RUC	Tube	6 mm to 25 mm	0.033	85 °C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex RU CLIM	Tube	6 mm to 25 mm	0.033	85 °C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex	Tube	> 25 mm to 75 mm	0.036	110 °C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)110 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex RU	Tube	> 25 mm to 75 mm	0.036	110 °C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)110 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex RUF	Tube	> 25 mm to 50 mm	0.036	85 °C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex FAST AR	Tube	> 25 mm to 50 mm	0.036	85 °C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex RUC	Tube	> 25 mm to 50 mm	0.036	85 °C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex RU CLIM	Tube	> 25 mm to 50 mm	0.036	85 °C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex tape	Tape	3 mm	0.033	85°C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex	Sheet	3 mm to 25 mm	0.033	85°C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex RUR	Sheet	3 mm to 25 mm	0.033	85°C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 10000- WS01 - CL500 - pH7
Rubaflex	Sheet	> 25 mm to 50 mm	0.036	85°C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex RUR	Sheet	> 25 mm to 50 mm	0.036	85°C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - ST(-)40 - MU 7000- WS01 - CL500 - pH7
Rubaflex H Duct	Sheet	3 mm to 25 mm	0.033	85°C	7 000	B _{1,s3,d0}	FEF - EN14304 ST(+)85 - MU 7000- WS01 - CL500 - pH7
Rubaflex RUH	Tube	6 mm to 25 mm	0.033	110 °C	10 000	B _{1,s3,d0}	FEF - EN14304 ST(+)110 - ST(-)40 - MU 10000- WS01 - CL500 - pH7

July 4th 2012

ARMA FINANCE
 ARMA finance
 69, rue nationale
 85100 LES SABLES D'OLONNE
 Tél. 02.41.77.30.00 - Fax 02.41.77.30.60
 SAS au capital de 350 000 e - RCS La Roche Sur Yon 429 033 947